SAFETY DATA SHEET

LAVO 11900 Boul. Saint-Jean Baptiste Montréal, QC, H1C 2J3 CANADA 1-800-361-6898

CODE: LVLAF00-0145

PRODUCT: LAVO PRO 6 Bleach

SECTION 01: IDENTIFICATION

Product identification Product code Other means of identification Recommended use.	LAVO PRO 6 Bleach LVLA F00-0145 DIN02358107 & CFIA. NSF MUL186mg/L. Chlorine based bleaching agents. Laundry and Household bleach. Hard surfaces disinfectant: household, hospitals, dental clinics, medical clinics and nursing homes use.
Manufacturer by	LAVO 11900 Boul. Saint-Jean-Baptiste Montréal, QC, H1C 2J3 CANADA
Business hours 24 HOUR EMERGENCY NUMBER:	1-800-361-6898 8:00AM - 4:30PM. CANUTEC 24-Hour Number: 613-996-6666.

SECTION 02: HAZARD IDENTIFICATION



Signal word LABEL ELEMENTS:	DANGER.
Hazard classification	Skin Corrosion/Irritation Category 2. Serious Eye Damage/ Eye Irritation Category 1. Acute aquatic toxicity Category 3.
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H402 Harmful to aquatic life.
Precautionary statements	

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS		
CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Sodium Hypochlorite	7681-52-9	5.0-8.0
Sodium Hydroxide	1310-73-2	<0.7

SECTION 04: FIRST-AID MEASURES

Inhalation	Remove victim to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get immediate medical attention. Call a poison center or physician.
Eye contact	Immediately hold eyelids open and flush with water for at least 15 minutes. Check for and remove any contact lenses if easy to do. Consult a physician.
Skin contact	Immediately flush skin with plenty of water for 15 minutes. Remove contaminated clothing and wash before reuse. Consult a physician.
Ingestion	Call IMMEDIATELY a poison centre or a doctor. Do not induce vomiting or give anything by mouth to an unconscious person. Rinse out mouth with water.
Acute symptoms/Effects	
Inhalation:	Inhalation of high concentrations of fumes or mists may cause severe irritation and corrosive damage to the nose, throat and upper respiratory tract.
Skin:	Causes skin irritation.
Eyes:	Causes serious eye irritation.

τεςις

Powered by

www.trivalent.com

SAFETY DATA SHEET

Page 2

CODE: LVLAF00-0145

PRODUCT: LAVO PRO 6 Bleach

SECTION 04: FIRST-AID MEASURES

Ingestion:	May be harmful if swallowed.
Delayed symptoms/Effects	Prolonged or repeated contact may cause drying, cracking and de fatting of the skin.
General advice	Consult a physician. Show this safey data sheet to the doctor.

SECTION 05: FIRE-FIGHTING MEASURES

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials. Use Water spray,
Unsuitable extinguishing media Special protective actions for fire-fighters.	Alcohol-resistant foam, Dry chemical or Carbon dioxide. Do not use dry chemical extinguishing agents that contain ammonium compounds. Firefighter should wear proper protective equipment and seft contained breathing
Specific hazards arising from the chemical	apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Use water to cool fire exposed containers.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personnal precautions	All persons dealing with clean up should wear the appropriate protective equipment
Protective equipment Emergency procedures	including self contained breathing apparatus. Use personnel protective equipment. Restrict access to area until completion of clean up. Evacuate personnel to safe areas. Ensure clean up is conducted by trained personnel only. Do not touch and walk through spilled material. Do not touch damaged containers or spilled material unless wearing
Environmental precautions	appropriate protective clothing. Ensure adequate ventilation. Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. Prevent further leakage or spillage if safe to do.
Methods and materials for containment and cleaning	d Stop leak if you can do so without risk. Contain and absorb spilled liquid with non combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal. Flush with water. Do not flush into surface water or sanitary sewer system. Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required. Small spills may be absorbed with non-reactive absorbent and placed in suitable covered, labeled containers. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

SECTION 07: HANDLING AND STORAGE

Precaution for safe handling	Do not get in eyes, on skin or on clothing. Avoid inhalation of mists/vapours/fumes. Use good industrial hygiene practices in handling this material. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Keep container tightly closed. Use in well ventilated areas.
Condition for safe storage	Keep out of reach of children. Protect from sunlight. Keep container tightly closed. Store in a cool, dry and well ventilated area.
Storage temperature	

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	CGIH TLV STEL	OSHA PEL	A PEL STEL	NIOSH REL
Sodium Hypochlorite	Not available	Ceiling: 2mg/m3	2mg/m3	Not available	Not available
Sodium Hydroxide	Not available	2mg/m3	2mg/m3	Not available	Not available
OSHA PEL: Occupational Safety and NIOSH IDLH: Immediately Dangerous t		Governmental Industrial Hygienists - Threshold Limit Value. Health Administration - Permissible Exposure Limits. to Life or Health. I conditions or with respiratory protection. General ventilation. Eye			
Personnal protection equipment (PPE) As required by employer. equipment must be select substance at the specific Wear saftey glasses with Wear protection: Respiratory protection: Use appropriate respirato limit(s). Use a full face res breathing apparatus.		workspace. side shields or goggles loves must be inspect ry protection if there is	s. ed prior to use. the potential to exceed	the exposure	

TECIS

CODE: LVLAF00-0145

PRODUCT: LAVO PRO 6 Bleach

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance, physical state Colour Odour Melting point / Freezing point (°C) Boiling point (°C) Flammability Upper/Lower Flammability or explosive limits	Clear liquid. Translucent. Yellow to greenish. Chlorine odor. Not available. 96 to 120°C. Not applicable. Not applicable.
Flash point (°C)	Not applicable. Product does not sustain combustion.
Auto ignition temperature (°C)	Not applicable.
Decomposition temperature	Not available.
pH	11.5-13.5.
Viscosity	Not available.
Solubility in water (%w/w)	Soluble in water.
Partage coefficient n-octanol/water (log)	Not available.
Vapour pressure (mmHg)	< 2.3 kPa (17.5 mm Hg @ 20°C).
Density	1.09-1.15 g/ml.
Relative Vapour Density (AIR=1)	Heavier than air.
Refractive Index	13-15.
VOC %	Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	React vigorously with acids. Reacts with amines and ammonia to form explosively unstable compounds. May develop chlorine if mixed with acidic solutions. Contact with some reactive metals may produce flammable hydrogen gas. Corrosive to metals.
Chemical stability Possibility of hazardous reactions	Stable under the recommended storage and handling conditions prescribed.
Conditions to avoid Incompatible materials	Avoid heat and open flame. Exposure to sunlight. Do not mix with other chemicals. Acids. Ammonia.
Hazardous decomposition products	May include and are not limited to: Hydrogen chloride, Chlorine gas, Sodium dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Sodium Hypochlorite	Inhalation Rat >10.5mg/kg;	Oral Rat: 8200mg/kg; Oral Mice: 5800mg/kg; Dermal Rat:>2000 mg/kg; Dermal Rabbit >10000mg/kg;
Sodium Hydroxide	Not available	Oral Rat 300-500mg/kg;Dermal Rabbit >2000mg/kg;
Acute toxicity Skin corrosion/irritation Serious eye damage/Irritation Respiratory or skin Sensitivition Sensitization Mutagenicity Carcinogenicity Teratogenicity Reproductive toxicity Specific target organs toxicity - Single exposure Specific target organs toxicity - Repeated exposure Aspiration hazard Chronic effects on humains Symptoms related to the physical, chemic and toxicological characteristics	 May cause eye irritation. May cause respiratory irritation. Not available. 	from repetitive acute exposures. Prolonged or and drying of the skin. Maybe absorbed gitis, Shortness of breath, Spasm,

TECIS

www.trivalent.com

Powered by

SAFETY DATA SHEET

CODE: LVLAF00-0145

PRODUCT: LAVO PRO 6 Bleach

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity data, Sodium Hypochlorite:	Acute 96Hrs LC50 Rainbow trout: 0.030 - 0.070 mg/L. Acute 48Hrs LC50 Daphnia magna:0.032 - 0.036 mg/L.
Ecotoxicity data, Sodium Hydroxide:	Acute 96Hrs LC50 fish Guppy Poecilia reticulata:196 mg/L Chronic 96Hrs NOEC fish Guppy Poecilia reticulata:56 mg/L.
Persistance and degradability Bioaccumulation potency Mobility in soil Other adverse effects	Not available. Not available. Not available. Prevent run-off to sewers, streams or other bodies of water.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods.....

. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Observe all local, provincial/state and federal environmental regulations.

SECTION 14: TRANSPORT INFORMATION

TDG Classification	UN: 3082 Class:9 Packing group: III Shipping name: Environmentally hazardous substance liquid, n.o.s. (Sodium Hypochlorite) Marine pollutant: No Poison Inhalation Hazard: No.
DOT US: Department of Transport US	UN: 3082 Class:9 Packing group: III Shipping name: Environmentally hazardous substance liquid, n.o.s. (Sodium Hypochlorite) Marine pollutant: No Poison Inhalation Hazard: No.
IMDG: International Maritime Dangerous . Goods	UN: 3082 Class:9 Packing group: III Shipping name: Environmentally hazardous substance liquid, n.o.s. (Sodium Hypochlorite) Marine pollutant: No Poison Inhalation Hazard: No.
IATA: International Air Transportation Association	UN: 3082 Class:9 Packing group: III Shipping name: Environmentally hazardous substance liquid, n.o.s. (Sodium Hypochlorite) Marine pollutant: No Poison Inhalation Hazard: No.

SECTION 15: REGULATORY INFORMATION

WHMIS Classification.....

This product has been classified in accordance with the hazard crireria of the Controlled Products Regulations and this document contains all the information required by the Controlled Products Regulations.

SECTION 16: OTHER INFORMATION

B5 DIN ACIA Disclaimer:	when exposed to this product. LAVO expressly disclaims all expressed or implied warranties for the accuracy or completeness of the data contained herein and assumes no responsibilities for any involved damages by above data. Products users have to do their own tests to establish the applicability of the information for a specific use of the product. SDS data does not apply to use with any other product or in any other process.
Preparation date	

