KARCHER

CV 30/2 BP PACK

The CV 30/2 Bp Pack is the first professional battery-powered upright brush type vacuum cleaner for all carpets and hard surfaces. With automatic floor detection, low ground clearance and brush-cleaning function.









Order no

1.023-203.0


- Automatic floor detection
- Roller brush self-cleaning function
- Optional HEPA 14 filter

EAN code Battery platform Vacuum mbar / kPa 187 / 18.7 Air flow I/s Rated performance W 420 Sound pressure level Container content I Working width Cm 25.2 Battery type Removable lithium-ion battery Voltage V Capacity Ah 6 Number of batteries required Performance per battery charge Runtime per battery charging Battery charging time with fast charger 80%/100% min May battery platform 420 420 420 420 420 420 420 42
Vacuum mbar / kPa 187 / 18.7 Air flow I/s 34 Rated performance W 420 Sound pressure level dB(A) 64 Container content I 3 Working width cm 25.2 Battery type Removable lithium-ion battery Voltage V 36 Capacity Ah 6 Number of batteries required Piece(s) 1 Performance per battery charge min (6.0 Ah) / 250 (7.5 Ah) ecolefficiency mode: max. 50 (6.0 Ah) / Power mode: max. 32 Runtime per battery charging time with fast min 44 / 68
Air flow I/s 34 Rated performance W 420 Sound pressure level dB(A) 64 Container content I 3 Working width cm 25.2 Battery type Removable lithium-ion battery Voltage V 36 Capacity Ah 6 Number of batteries required Piece(s) 1 Performance per battery charge min (6.0 Ah) / 250 (7.5 Ah) ecolefficiency mode: max. 50 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / Power mode: max. 47 (7.5 Ah) / Power mode: max. 47 (7.5 Ah) Battery charging time with fast min 44 / 68
Rated performance Sound pressure level Container content I Working width Battery type Voltage V Capacity Ah Number of batteries required Performance per battery charge Runtime per battery charging Battery charging time with fast W 420 420 420 64 Emmovable lithium-ion battery V 36 Capacity Ah 6 Number of batteries required Piece(s) 1 200 (6.0 Ah) / 250 (7.5 Ah) ecolefficiency mode: max. 50 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / Power mode: max. 47 (7.5 Ah) / Power mode: max. 47 Battery charging time with fast
Sound pressure level Container content I Working width Cm 25.2 Removable lithium-ion battery Voltage V Capacity Ah Number of batteries required Performance per battery charge Runtime per battery charging Min Battery charging time with fast MB(A) 64 2 00.64 2 00.64 2 00.60 2 00.60 2 00.60 3 0.60 4 0.75 4
Container content Working width cm 25.2 Removable lithium-ion battery Voltage V Capacity Ah 6 Number of batteries required Performance per battery charge Runtime per battery charging min Windows A (5,0,4h) / Power mode: max. 50 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / Power mode: max. 47 (7.5 Ah) / Power mode: max. 47 (7.5 Ah) Battery charging time with fast min 44 / 68
Working width Cm 25.2 Removable lithium-ion battery Voltage V Capacity Ah 6 Number of batteries required Performance per battery charge Runtime per battery charging min Windows Additional Control of the
Battery type Voltage V Safe Starting
Voltage V 36 Capacity Ah 6 Number of batteries required Piece(s) 1 Performance per battery charge Min 200 (6.0 Ah) / 250 (7.5 Ah) ecolefficiency mode: max. 50 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / ecolefficiency mode: max. 67 (7.5 Ah) / Power mode: max. 47 (7.5 Ah) / Power mode: max. 47 (7.5 Ah) Battery charging time with fast min 44 / 68
Capacity Ah 6 Number of batteries required Piece(s) 1 Performance per battery charge m² 200 (6.0 Ah) / 250 (7.5 Ah) ecolefficiency mode: max. 50 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / ecolefficiency mode: max. 67 (7.5 Ah) / Power mode: max. 47 (7.5 Ah) / Power mode: max. 47 (7.5 Ah) Battery charging time with fast min 44 / 68
Number of batteries required Piece(s) 1 Performance per battery charge m² 200 (6.0 Ah) / 250 (7.5 Ah) ecolefficiency mode: max. 50 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / ecolefficiency mode: max. 67 (7.5 Ah) / Power mode: max. 47 (7.5 Ah) / Power mode: max. 47 (7.5 Ah)
Performance per battery charge m² 200 (6.0 Ah) / 250 (7.5 Ah) ecolefficiency mode: max. 50 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / ecolefficiency mode: max. 67 (7.5 Ah) / Power mode: max. 47 (7.5 Ah) Battery charging time with fast min 44 / 68
Runtime per battery charging min Runtime per battery charging min Eattery charging time with fast min Eattery charging time with fast min Eattery charging time with fast min Ecclefficiency mode: max. 50 (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / ecclefficiency mode: max. 67 (7.5 Ah) / Power mode: max. 47 (7.5 Ah)
Runtime per battery charging min (6.0 Ah) / Power mode: max. 32 (6.0 Ah) / ecolefficiency mode: max. 67 (7.5 Ah) / Power mode: max. 67 (7.5 Ah) / Power mode: max. 47 (7.5 Ah) / Power mode: max. 47 (8.8 Min.)
min 44 / 68
Power supply for battery charger V / Hz 100 - 240 / 50 - 60
Colour anthracite
Weight without accessories kg 6.5
Weight incl. packaging kg 12.2
Dimensions (L × W × H) mm 260 × 310 × 1150

Equipment		
Variant		Battery and charger included
Battery		36 V/6.0 Ah Battery Power+ battery (1 pc.)
Battery charger		36 V Battery Power+ quick charger (1 pc.)
Quantity of filter bags	Piece(s)	1
Filter bag material		Fleece
Crevice nozzle		
Upholstery nozzle		
Roller brush hardness		medium-soft
Roller brush quantity	Piece(s)	1
Roller brush colour		Black
Suction tube, removable		
Stretchable suction hose		
Included in the scope of supply.		

Included in the scope of supp

KARCHER





Automatic floor detection

- Automatic adaptation of cleaning performance to the respective surface.
- Superb cleaning results on textile and hard floors.



Roller brush self-cleaning function using foot switch

- Hairs picked up by the brush are separated and vacuumed.
- Fast, effective cleaning of the roller brush without having to remove it.
- Contactless and therefore particularly hygienic cleaning of the roller brush.



Multifunctional, innovative handle with LED display

- With ergonomic ON/OFF switch.
- With ecolefficiency mode: extends battery runtime, reduces operating noise.
- LED display with practical display of remaining battery runtime.



ACCESSORIES FOR CV 30/2 BP PACK 1.023-203.0





				_		
		Order no.	Description			
SUCTION NOZZLES						
Crevice nozzles						
Crevice nozzle, DN 35, plastic, 225 mm	1	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	•		
Upholstery nozzles						
Upholstery nozzle DN 35	2	6.905-998.0	Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.	•		

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.